

SMARTNESS
IN THE
PANELS

Klemsan®

Reasons to Choose Trunkie


- Ergonomically designed wiring duct covers are easily mounted and dismantled
- Upper scoreline provides easy breaking off the ribs as a result of 90° bending
- Lower scoreline provides easy splitting of wiring duct's base and wall
- Bottom rail provides easy mounting of wiring duct accessories inside.
- Special rib pattern design allows more proper wire placement.



Klemsan Trunkie Smartness in the Panels


PRACTICAL ASSEMBLY/DISASSEMBLY OF THE DUCT COVER

- Assembly and disassembly of the covers is the most difficult operation when ducts are fully wired.
- Design of Trunkie speeds up your work and makes assembly and disassembly of the cover easier.



DURABLE AND RELIABLE



- Trunkie enables the end-user to use the maximum inner space of the duct and keeps its rigidity even at maximum load of cables.



Klemsan Trunkie Smartness in the Panels



APPEARANCE

- Special rib pattern allows the end-user to make cable grouping easier even for the entry level.





SPEED AND EFFICIENCY

- Without using any hand tools, simply bend the duct ribs to 90° and easily break them inside the panel.
- Furthermore, Trunkie helps you save time while breaking off ribs in groups.



SOLUTIONS, WHICH EASE WIRING

- Now wire management is much easier.
- You can easily mount wire retainers on the bottom rail of the duct and slide them along the rail.




Klemsan Trunkie Smartness in the Panels

PRODUCT CHARACTERISTICS



- Operating Temperature: -15°C to 60°C
- Standard Length: 2 meters
- Color Option: RAL 7030 Grey
- Complies with RoHS regulations
- Complies with IEC 60695-2-1 and EN 50085-2-3 standards
- Certificates: VDE, UL, cULus, CE and GOST



15x18

15x30



15x40

15x60

NARROW SLOTTED SELF ADHESIVE

Order No.	Type	Dimensions WxH (mm)	Color	Qty.
<small>new</small> 551 060YP	KKC 1518	15x18	Grey	126x2 m
<small>new</small> 551 070YP	KKC 1530	15x30	Grey	106x2 m
<small>new</small> 551 080YP	KKC 1540	15x40	Grey	80x2 m
<small>new</small> 551 090YP	KKC 1560	15x60	Grey	42x2 m


NARROW SLOTTED

Order No.	Type	Dimensions WxH (mm)	Color	Qty.
<small>new</small> 551 060	KKC 1518	15x18	Grey	112x2 m
<small>new</small> 551 070	KKC 1530	15x30	Grey	106x2 m
<small>new</small> 551 080	KKC 1540	15x40	Grey	80x2 m
<small>new</small> 551 090	KKC 1560	15x60	Grey	42x2 m
551 010	KKC 2530	25x30	Grey	50x2 m
551 011	KKC 2540	25x40	Grey	50x2 m
551 012	KKC 2560	25x60	Grey	30x2 m
551 030	KKC 2580	25x80	Grey	28x2 m
551 031	KKC 2510	25x100	Grey	22x2 m
551 013	KKC 4040	40x40	Grey	26x2 m
551 014	KKC 4060	40x60	Grey	18x2 m
551 015	KKC 4080	40x80	Grey	20x2 m
551 032	KKC 4010	40x100	Grey	14x2 m
551 016	KKC 6040	60x40	Grey	18x2 m
551 017	KKC 6060	60x60	Grey	12x2 m
551 018	KKC 6080	60x80	Grey	12x2 m
551 033	KKC 6010	60x100	Grey	18x2 m
551 034	KKC 8040	80x40	Grey	18x2 m
551 019	KKC 8060	80x60	Grey	14x2 m
551 020	KKC 8080	80x80	Grey	12x2 m
551 035	KKC 8010	80x100	Grey	12x2 m
551 021	KKC 1006	100x60	Grey	10x2 m
551 022	KKC 1008	100x80	Grey	8x2 m
551 036	KKC 1001	100x100	Grey	12x2 m
551 023	KKC 1206	120x60	Grey	8x2 m
551 024	KKC 1208	120x80	Grey	6x2 m
551 025	KKC 1201	120x100	Grey	10x2 m
551 040	KKC 1501	150x100	Grey	8x2 m

Klemsan Trunkie Smartness in the Panels


PRODUCT CHARACTERISTICS

WIDE SLOTTED



100x100

100x60



10x08

120x100

120x60

120x80

150x100

60x80

Order No.	Type	Dimensions WxH (mm)	Color	Qty.
551 014WS	KKC 4060	40x60	Grey	16x2 m
551 015WS	KKC 4080	40x80	Grey	20x2 m
551 032WS	KKC 4010	40x100	Grey	14x2 m
551 017WS	KKC 6060	60x60	Grey	12x2 m
551 018WS	KKC 6080	60x80	Grey	12x2 m
551 033WS	KKC 6010	60x100	Grey	18x2 m
551 019WS	KKC 8060	80x60	Grey	14x2 m
551 020WS	KKC 8080	80x80	Grey	12x2 m
551 035WS	KKC 8010	80x100	Grey	12x2 m
551 021WS	KKC 1006	100x60	Grey	10x2 m
551 022WS	KKC 1008	100x80	Grey	8x2 m
551 036WS	KKC 1001	100x100	Grey	12x2 m
551 023WS	KKC 1206	120x60	Grey	8x2 m
551 024WS	KKC 1208	120x80	Grey	6x2 m
551 025WS	KKC 1201	120x100	Grey	10x2 m
551 040WS	KKC 1501	150x100	Grey	8x2 m

WIRING DUCT COVERS



new

Order No.	Type	Width (mm)	Color	Description	Qty.
551 049	KKK 15	15	Grey	KKK 15 mm Wiring Duct Cover	10x2 m
551 050	KKK 25	25	Grey	KKK 25 mm Wiring Duct Cover	10x2 m
551 051	KKK 40	40	Grey	KKK 40 mm Wiring Duct Cover	10x2 m
551 052	KKK 60	60	Grey	KKK 60 mm Wiring Duct Cover	10x2 m
551 053	KKK 80	80	Grey	KKK 80 mm Wiring Duct Cover	10x2 m
551 054	KKK 100	100	Grey	KKK 100 mm Wiring Duct Cover	10x2 m
551 055	KKK 120	120	Grey	KKK 120 mm Wiring Duct Cover	10x2 m
551 056	KKK 150	150	Grey	KKK 150 mm Wiring Duct Cover	10x2 m

Klemsan Trunkie Smartness in the Panels

WIRING DUCT ACCESSORIES



KKT 4040



KKT 4060



KKB



KKM



SETR



PPE 6.5

Order No.	Type	Color	Description	Qty.
553 315	KKT 4040	Black	Wire Retainer	10
553 325	KKT 4060	Black	Wire Retainer	10
553 335	KKT 6080	Black	Wire Retainer	10
553 345	KKT 4080	Black	Wire Retainer	10
553 355	KKT 6040	Black	Wire Retainer	10
553 365	KKT 6060	Black	Wire Retainer	10
553 375	KKT 6010	Black	Wire Retainer	10
553 385	KKT 8060	Black	Wire Retainer	10
553 395	KKT 1006	Black	Wire Retainer	10
553 425	KKT 1206	Black	Wire Retainer	10
553 435	KKT 8080	Black	Wire Retainer	10
553 445	KKT 8010	Black	Wire Retainer	10
553 455	KKT 1008	Black	Wire Retainer	10
553 465	KKT 1001	Black	Wire Retainer	10
553 475	KKT 1208	Black	Wire Retainer	10
553 485	KKT 1201	Black	Wire Retainer	10
553 500	SETR	-	Setting Tool for Rivets	1
553 600	PPE 6.5	Grey	Rivets	100
553 405	KKB	Black	Cable Clamp	10
553 415	KKM	Black	Cable Holder	10



KMK 1002



KKMR


WIRING DUCT CUTTERS

Order No.	Type	Description	Qty.
553 220	KMK 1002	Wiring Duct Cutting Tool up to 120 mm	1
553 230	KKMR	Wiring Duct Cutting Hand Tool	1

Klemsan Trunkie Smartness in the Panels

TECHNICAL SPECIFICATIONS

Wiring Duct



Wire Retainer

Cable Clamp

Cable Holder



Order No.	Type	Description	Dimensions (mm)								
			A	B	C	D	E	F	G	H	I
new 551 060	KKC 1518 - Medium	Wiring Duct	15	18	4,5	5	7,5	2	4,5	--	25
new 551 070	KKC 1530 - Medium	Wiring Duct	15	30	6,1	5	7,5	2	4,5	--	25
new 551 080	KKC 1540 - Medium	Wiring Duct	15	40	10,2	5	7,5	2	4,5	--	25
new 551 090	KKC 1560 - Medium	Wiring Duct	15	60	12,4	5	7,5	2	4,5	--	25
551 010	KKC 2530 - Narrow	Wiring Duct	25	30	11,4	4	6	2,1	4,5	6,5	25
551 011	KKC 2540 - Narrow	Wiring Duct	25	40	12,4	4	6	2,1	4,5	6,5	25
551 012	KKC 2560 - Narrow	Wiring Duct	25	60	13,6	4	6	2,1	4,5	6,5	25
551 030	KKC 2580 - Narrow	Wiring Duct	25	80	15,8	4	6	2,1	4,5	6,5	25
551 031	KKC 2510 - Narrow	Wiring Duct	25	100	17,9	4	6	2,1	4,5	6,5	25
551 013	KKC 4040 - Narrow	Wiring Duct	40	40	12,4	4	6	2,1	4,5	6,5	25
551 014	KKC 4060 - Narrow	Wiring Duct	40	60	13,6	4	6	2,1	4,5	6,5	25
551 015	KKC 4080 - Narrow	Wiring Duct	40	80	15,8	4	6	2,1	4,5	6,5	25
551 032	KKC 4010 - Narrow	Wiring Duct	40	100	17,9	4	6	2,1	4,5	6,5	25
551 016	KKC 6040 - Narrow	Wiring Duct	60	40	12,6	4	6	2,1	4,5	6,5	25
551 017	KKC 6060 - Narrow	Wiring Duct	60	60	13,8	4	6	2,1	4,5	6,5	25
551 018	KKC 6080 - Narrow	Wiring Duct	60	80	15,8	4	6	2,1	4,5	6,5	25
551 033	KKC 6010 - Narrow	Wiring Duct	60	100	18,0	4	6	2,1	4,5	6,5	25
551 019	KKC 8060 - Narrow	Wiring Duct	80	60	13,8	4	6	2,1	4,5	6,5	25
551 020	KKC 8080 - Narrow	Wiring Duct	80	80	15,8	4	6	2,1	4,5	6,5	25
551 035	KKC 8010 - Narrow	Wiring Duct	80	100	18,2	4	6	2,1	4,5	6,5	25
551 021	KKC 1006 - Narrow	Wiring Duct	100	60	16	4	6	2,1	4,5	6,5	25
551 022	KKC 1008 - Narrow	Wiring Duct	100	80	16	4	6	2,1	4,5	6,5	25
551 036	KKC 1001 - Narrow	Wiring Duct	100	100	18,2	4	6	2,1	4,5	6,5	25

Klemsan Trunkie Smartness in the Panels

TECHNICAL SPECIFICATIONS

Order No.	Type	Description	Dimensions (mm)									
			A	B	C	D	E	F	G	H	I	
551 023	KKC 1206 - Narrow	Wiring Duct	120	60	16,3	4	6	2,1	4,5	6,5	25	
551 024	KKC 1208 - Narrow	Wiring Duct	120	80	16,3	4	6	2,1	4,5	6,5	25	
551 025	KKC 1201 - Narrow	Wiring Duct	120	100	18,4	4	6	2,1	4,5	6,5	25	
551 040	KKC 1501 - Narrow	Wiring Duct	150	100	18,5	4	6	2,1	4,5	6,5	25	
551 014WS	KKC 4060 - Wide	Wiring Duct	40	60	13,6	8	12	2,1	4,5	6,5	25	
551 015WS	KKC 4080 - Wide	Wiring Duct	40	80	15,8	8	12	2,1	4,5	6,5	25	
551 032WS	KKC 4010 - Wide	Wiring Duct	40	100	15,8	8	12	2,1	4,5	6,5	25	
551 017WS	KKC 6060 - Wide	Wiring Duct	60	60	13,8	8	12	2,1	4,5	6,5	25	
551 018WS	KKC 6080 - Wide	Wiring Duct	60	80	15,8	8	12	2,1	4,5	6,5	25	
551 033WS	KKC 6010 - Wide	Wiring Duct	60	100	15,8	8	12	2,1	4,5	6,5	25	
551 019WS	KKC 8060 - Wide	Wiring Duct	80	60	13,8	8	12	2,1	4,5	6,5	25	
551 020WS	KKC 8080 - Wide	Wiring Duct	80	80	15,8	8	12	2,1	4,5	6,5	25	
551 035WS	KKC 8010 - Wide	Wiring Duct	80	100	15,8	8	12	2,1	4,5	6,5	25	
551 021WS	KKC 1006 - Wide	Wiring Duct	100	60	16,0	8	12	2,1	4,5	6,5	25	
551 022WS	KKC 1008 - Wide	Wiring Duct	100	80	16,0	8	12	2,1	4,5	6,5	25	
551 036WS	KKC 1001 - Wide	Wiring Duct	100	100	16,0	8	12	2,1	4,5	6,5	25	
551 023WS	KKC 1206 - Wide	Wiring Duct	120	60	16,3	8	12	2,1	4,5	6,5	25	
551 024WS	KKC 1208 - Wide	Wiring Duct	120	80	16,3	8	12	2,1	4,5	6,5	25	
551 025WS	KKC 1201 - Wide	Wiring Duct	120	100	16,3	8	12	2,1	4,5	6,5	25	
551 040WS	KKC 1501 - Wide	Wiring Duct	150	100	16,3	8	12	2,1	4,5	6,5	25	
553 315	KKT 4040	Wire Retainer	34	35	--	--	--	--	--	--	--	
553 325	KKT 4060	Wire Retainer	34	53	--	--	--	--	--	--	--	
553 335	KKT 6080	Wire Retainer	53	75	--	--	--	--	--	--	--	
553 345	KKT 4080	Wire Retainer	34	75	--	--	--	--	--	--	--	
553 355	KKT 6040	Wire Retainer	53	35	--	--	--	--	--	--	--	
553 365	KKT 6060	Wire Retainer	53	53	--	--	--	--	--	--	--	
553 375	KKT 6010	Wire Retainer	53	95	--	--	--	--	--	--	--	
553 385	KKT 8060	Wire Retainer	73	53	--	--	--	--	--	--	--	
553 395	KKT 1006	Wire Retainer	93	53	--	--	--	--	--	--	--	
553 425	KKT 1206	Wire Retainer	113	53	--	--	--	--	--	--	--	
553 435	KKT 8080	Wire Retainer	73	75	--	--	--	--	--	--	--	
553 445	KKT 8010	Wire Retainer	73	95	--	--	--	--	--	--	--	
553 455	KKT 1008	Wire Retainer	93	75	--	--	--	--	--	--	--	
553 465	KKT 1001	Wire Retainer	93	95	--	--	--	--	--	--	--	
553 475	KKT 1208	Wire Retainer	113	75	--	--	--	--	--	--	--	
553 485	KKT 1201	Wire Retainer	113	95	--	--	--	--	--	--	--	
553 405	KKB	Cable Clamp	15	11	6	--	--	--	--	--	--	
553 415	KKM	Cable Holder	83,6	14	15	20	19,8	--	--	--	--	



KKT 1001



KKT 1006



KKT 6040



KKB



KKT 1208



KKT 4080



Factory

Kemalpaşa Yolu 3. km 35170
İzmir / TURKEY
Tel : +90 232 877 08 00
Fax: +90 232 877 08 06

Sales Head Office

Maslak Mah. Ahi Evran Cad.
Ata Center İş Merkezi No: 9 Kat: 4
Maslak, Sarıyer - İstanbul / TURKEY
Tel : +90 212 222 52 00
Fax: +90 212 222 66 55

OVERSEAS OFFICES



Russian Federation

141400, Khimki,
Zavodskaya 2 - Moscow
Tel: +7 495 644 02 21



USA

525 N. Tryon St. Suite 1600
Charlotte, NC 28202
Tel: +1 980 226 06 88



China

Rm. 1707, No. 218, Hengfeng Road,
Morden Traffic Business Building,
Zhabei District, Shanghai. 200070
Tel : +86 21 62260338
Fax: +86 21 62263983



U.A.E

Z Building Z 57 Saif Zone, Sharjah
Tel : +971 6 - 557 37 10
Gsm: +971 56 - 760 28 37



Ukraine

6 - 8A, Yaroslava Ivashkevicha Str.
Office 7 - 8 04074, Kiev
Tel: +380 637 217 185



Colombia

Gsm: +57 304 427 73 59



Mexico

Gsm: +52 55 4511 8809



Iran

No. 592 - 594 Corner of
Aghabalazadeh St.
South Kargar Ave. Tehran
Tel : +9821 55425407-9
Fax: +9821 55425407-9




Indonesia

Gsm: +62 8787 100 40 99



Thailand

30 - 68 Soi Rawadee 29 Tiwanon
Road Nonthaburi Thailand
Tel: +66 83 299 5465



293520816117304851000001